



# HOWE AND HOWE TECHNOLOGIES INC.

661 Main Street Waterboro, Maine 04087 - Ph: 207-247-2777 - Fax: 207-247-2755  
Email: [info@howeandhowe.com](mailto:info@howeandhowe.com) - Web: [www.howeandhowe.com](http://www.howeandhowe.com)

## Ripchair Order Form Specifications and Build sheet

### Ordered By:

### Ship To:

Name: _____	Name: _____
Address: _____	Address: _____
City _____	City: _____
State: _____	State: _____
Zip: _____	Zip: _____
Phone: _____	Phone: _____
Email: _____	Email: _____

- \* A vehicle deposit of 60% is required to begin fabrication. Balance due upon notification of completion. No merchandise will be shipped until full payment is received.
- \* Payments must be in the form of Certified Funds: bank check, money order, or certified check. Please make checks payable to Howe and Howe Technologies, Inc.
- \* Please fill out this form and send it back to Howe and Howe Technologies, either electronically ([info@howeandhowe.com](mailto:info@howeandhowe.com)), Fax: 207-247-2755 or mail to: 661 Main St., Waterboro, Maine 04087. Once received, we will produce a quote/invoice and return it to you. Send deposit and you are now placed in the queue for a custom, hand crafted, USA built, Howe and Howe Ripchair 3.0.

*"Let the exploration, mountaintaming, hunting expeditions and fishing begin.  
Good Luck and God Bless."*

Geoffrey Howe,  
CEO  
Howe and Howe Technologies, Inc.

**Please place a check in the box next to your choices.**

**Base**

Ripchair 3.0

-Wheelchair attachment method similar to Q-Straints

**Control Options:**

**Mechanical link drive** (hand operated lever, most paraplegics)



Lever Control Ripchair 3.0

**Electric joystick control drive** (most quadriplegics)

Right hand control location

Left hand control location



Joystick Control Ripchair 3.0

**Color Options:** Please choose up to 2 colors. For custom colors please provide the part # from Eastwood Powders or Prismatic Powders found online. Certain custom colors will add to the cost. **Warning: Some custom base and topcoat powder colors may be a risk to finish quality. For example, risky colors are chrome, gold, silver, etc.** Please contact HH for more detail on custom colors.

**Standard Primary Color (70% of chair)**

- Gloss Black
- Flat Black
- Military Green (OD)
- Desert Tan
- Gloss Red
- Gloss Green
- Gloss Blue
- Gloss Yellow
- Gloss Orange
- Custom (please provide Part #)

**Standard Secondary Color (30% of chair)**

- Gloss Black
- Flat Black
- Military Green (OD)
- Desert Tan
- Gloss Red
- Gloss Green
- Gloss Blue
- Gloss Yellow
- Gloss Orange
- Custom (please provide Part #)

**Additional Packages:**

**4- D-ring:** Tow point front and rear.  
\$80

**5000lb winch package:** Installed rear with 2" Reese hitch with remote control.  
\$800

**Auxiliary 12-volt Plug-ins:** Provides a cigarette lighter plug system. 12-volt plug for charging phones, computers etc.  
\$150

**Additional Options:** Please describe any additional options required.

---



---

# Current Chair Details:

**IMPORTANT- Please fill out the following dimension/spec sheet. These measurements are very important and may have an affect on your final design.**

Make \_\_\_\_\_  
 Model \_\_\_\_\_

**\*\*Please take the measurements while in your most comfortable riding position.\*\*  
 (Applicable if your chair tilts or reclines)**

**Ripchair 3.0 Customer Dimensions/ Spec Sheet**

1. Name: \_\_\_\_\_

2. Physical/Medical Diagnosis:  
 \_\_\_\_\_

3. Is your chair electric or manual?  
 \_\_\_\_\_

4. Make and Model of your current chair:  
 \_\_\_\_\_

5. Combined weight:  
 \_\_\_\_\_

SEE THE FIGURE TO THE RIGHT FOR EXAMPLES OF THE FOLLOWING MEASUREMENTS:

A: Overall Height \_\_\_\_\_

B: Overall Length \_\_\_\_\_

C: Overall Width \_\_\_\_\_

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	
		TOLERANCES:		CHECKED	
		FRACTIONAL ±		ENG APPR.	
		ANGULAR MATCH ± BEND ±		MFG APPR.	
		TWO PLACE DECIMAL ±			
		THREE PLACE DECIMAL ±			
		INTERPRET GEOMETRIC TOLERANCING PER:		Q.A.	
		MATERIAL		COMMENTS:	
		FINISH			
NEXT ASSY		USED ON			
APPLICATION		DO NOT SCALE DRAWING			
<small>PROPRIETARY AND CONFIDENTIAL          THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Howe and Howe Tech. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Howe and Howe Tech IS PROHIBITED.</small>			TITLE:		
SIZE <b>B</b>		DWG. NO. Ripchair Customer Dimensions		REV	
SCALE: 1:20		WEIGHT:		SHEET 1 OF 1	

**\*\*Please take the measurements while in your most comfortable riding position.\*\*  
 (Applicable if your chair tilts or reclines)**

## Additional Measurement Instructions

**Height:** Height measurement should be taken from the ground to the top of your head.

**Length:** Length measurement should be taken from the ends of your toes to the rearmost point of your wheelchair, including wheelie bars. The easiest way to find this measurement is to pull up to a wall so that your toes are touching, and measure from the wall to the furthest point on the back of your chair.

**Width:** The width measurement should be the distance from the outsides of the left drive tire to the outside of the right drive tire.